



PRODUCT CATALOGUE

FULLY SYNTHETIC MULTI-VECHICLE



TORENZOIL Fully Synthetic 5W-40 SN/C14 GOLD PRO

TORENZOIL Fully Synthetic 5W-40 SN/C14 GOLD PRO series helps to sustain improved performance for longer, even when under pressure, helps to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response. In addition to that due to our adhesive friction modifier, Gold Pro is able to withstand 4 to 5 times more loads and heat compared to other engine oil.



**AVAILABLE
IN 7 LITRE**

SPECIFICATIONS

• API SN/C14	
• ACEA A3/B4/B3	
• PSA PEUGEOT CITROËN	B71 2296
VOLKSWAGEN	502.00/505.00
BMW	LL-01
MERCEDEZ-BENZ	MB-Approval 229.3
PORSCHE	A40

TORENZOIL Fully Synthetic 5W-30 SN/C14 GOLD PRO

Torenzoi SN is the premium Fully Synthetic engine oil. It is the highest possible API grade up to 2016 Manufactured to meet requirements of almost all modern multi valves with or without turbo chargers. It provides smoother, cooler and quieter engines. Its advanced additive system ensure excellent control over wear due to friction, soot induced wear, high temperature deposits, corrosion, foaming and oxidation stability. It is very suitable for low end new vehicles.



TORENZOIL Fully Synthetic 10W-60 SN/C14 RACING OIL



**AVAILABLE
IN 1 LITRE**

TORENZOIL Racing Oil 10W-60 Fully Synthetic Engine Oil is formulated for the specific demands of older vehicles even above 150,000 km. TORENZOIL 10W-60 is also suitable for high performance and motorsport applications requiring high viscosity motor oils, especially for vehicles which are used for drifting and drag race. This engine oil provide the highest performance at the highest competitive level.



TORENZOIL Fully Synthetic 0W-20 SN/C14 GOLD PRO

TORENZOIL Fully Synthetic 0W-20 SN/C14 GOLD PRO helps to sustain improved performance for longer, even when under pressure, help to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response. 0W-20 SN/C14 is PAO and Ester based, hence it is suitable for high performance usage as well as for good pick up power.



SEMI SYNTHETIC MULTI-VECHICLE

TORENZOIL Semi Synthetic 5W-40 SN/CJ4 SILVER PRO

TORENZOIL Semi Synthetic series helps to sustain improved performance for longer, even when under pressure, helps to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response.

SPECIFICATIONS

• API SN/CJ4	
• ACEA C3	
• VOLKSWAGEN	504.00 / 507.00
BMW	LL-04
MERCEDEZ-BENZ	MB-Approval 229.51



TORENZOIL Semi Synthetic 10W-40 SN/CJ4 SILVER PRO



**AVAILABLE
IN 1 & 7 LITRE**

TORENZOIL Semi Synthetic series helps to sustain improved performance for longer, even when under pressure, helps to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response.

SPECIFICATIONS

• API SN/CJ4	
• ACEA A3/B4/B3	
• PSA PEUGEOT CITROËN	B71 2296
VOLKSWAGEN	502.00/505.00
BMW	LL-01
MERCEDEZ-BENZ	MB-Approval 229.3
PORSCHE	A40

TORENZOIL Semi Synthetic 15W-40 SN/CJ4 SILVER PRO



**AVAILABLE
IN 1 & 7 LITRE**

TORENZOIL Semi Synthetic series helps to sustain improved performance for longer, even when under pressure, helps to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response.

SPECIFICATIONS

• API SN/CJ4	
• ACEA A3/B4/B3	
• PSA PEUGEOT CITROËN	B71 2296
VOLKSWAGEN	502.00/505.00
BMW	LL-01
MERCEDEZ-BENZ	MB-Approval 229.3
PORSCHE	A40



TORENZOIL Semi Synthetic 10W-30 SN/CJ4 SILVER PRO

TORENZOIL Semi Synthetic series helps to sustain improved performance for longer, even when under pressure, helps to maximise short and long term engine performance, delivers excellent levels of protection across a variety of driving conditions and temperatures and reduces engine deposits to help maximise engine response.

SPECIFICATIONS

• API SN/CJ4	
• ACEA A3/B4	
• PSA PEUGEOT CITROËN	B71 2296
VOLKSWAGEN	502.00/505.00
BMW	LL-01
MERCEDEZ-BENZ	MB-Approval 229.3
PORSCHE	A40

MINERAL BASE MULTI-VECHICLE



TORENZOIL Mineral Base 20W50 SN/C14

TORENZOIL Mineral Base 20W50 SN/C14 SN is the premium mineral engine oil. It is the highest possible API grade up to 2016. Manufactured to meet requirements of almost all modern multi valves with or without turbo chargers. It provides smoother, cooler and quieter engines. Its advanced additive system ensure excellent control over wear due to friction, soot induced wear, high temperature deposits, corrosion, foaming and oxidation stability. It is very suitable for low end new vehicles.

TORENZOIL Mineral Base Categories

- 20W 50
- 15W 40
- 10W 40
- 15W 50



**AVAILABLE
IN 209/18 LITRE**


ENGINE OIL TREATMENT

TORENZOIL HIGH PERFORMANCE ENGINE OIL TREATMENT

TORENZOIL ENGINE TREATMENT is a special protective treatment for the prevention of wear on engine components. It prevents wear by forming a tough low friction film on engine surface. The tough low friction film is able to withstand 4 to 5 times more load, pressure and friction as compared to conventional or normal engine oil, oil treatment and other form of engine treatments. It protects engine components even before engine start-up. It penetrates into micro-pores of the metal surface of the engine and smoothing the microscopic irregularities, cracks and points of uneven wear on the surface of bearings, pushrods, lifters, the crank and cam shafts.



BRAKE FLUID



TORENZOIL SUPER HEAVY DUTY BRAKE FLUID DOT-4

TORENZOIL BRAKE FLUID DOT-4 is formulated from a mixture of high performance glycol & glycol ether for Disc & Drum type brake systems, which call for DOT-3 & DOT-4 performance. It is specially designed for extremely low & high temperature. It greatly reduces the tendency to evaporate at high or elevated temperature when brake is in action. It provides very high boiling resistance and ensure an extra margin of safety over conventional brake fluids. It has a superb transfer of pressure in hydraulic braking system to ensure vehicle brakes effectively.

GEAR OIL



TORENZOI GEAR OIL EP 80W90 LSD GL-5



AVAILABLE
IN 209/18 LITRE

TORENZOI GEAR OIL EP 80W-90 LSD GL-5 is an universal high performance mineral EP gear oil for use in manual transmission en transaxles of passenger cars, vans , light and heavy commercial vehicles, off-highway equipment , mining and agriculture where a SAE 80W-90 GL-5 is been required. GEAR OIL EP 80W-90 is formulated with high refined mineral base stocks in combination with a special EP-additive technology to achieve the following performance:

- Good Extreme Pressure and anti-wear properties.
- High thermal- and oxidation stability.
- Effective rust, wear and corrosion protection.
- Better low temperature provides easy start-up at low ambient temperatures.
- Good anti-foam properties ensure film strength for effective lubrication.
- Excellent seal compatibility.

ATF AUTO TRANSMISSION FLUID & ATF TREATMENT



TORENZOI ATF MULTI-VEHICLE FULLY SYNTHETIC

TORENZOI ATF MV is formulated with fully Synthetic base stock to address the Multi-Vehicle Automatic Transmission fluid which meets JASO M315 type 1A requirement. With carefully selected friction contained in the TORENZOIL ATF MV which makes the correct friction characteristic for a wide variety of vehicle auto transmission needs.

BENEFITS / FEATURES:

- Outstanding antiwear & friction properties, quit operation and smooth shifting
- Much enhanced fluidity at very low temperature and severe high temperature service
- provide excellent oxidation and thermal stability
- Extended transmission life
- Lower maintenance



TORENZOI ATF CVT MV (MULTI-VECHICLE) FULLY SYNTHETIC

TORENZOI ATF CVT is designed for today's technologically advanced Continuous Variable Transmissions. It is formulated with full-synthetic, premium base oils, long-life friction modifiers, unique anti-wear additives and shear stable viscosity modifiers that help prevent oil film breakdown. Excellent Frictional Properties which ensures metal-to-metal frictional properties between the VT's belt/chain interface and the pulleys are important, relying on the CVT Fluid to prevent slipping. TORENZOIL CVT ATF is formulated with the refined fully synthetic base oil for the application on a wide range of vehicles automatic transmission. It consists of high performance additives with specially selected friction modifier to provide the correct friction characteristic in the automatic transmission system. Its additive systems to provide, excellent foam resistance, corrosion and wear protection. It is reinforced with metal treatment to provide outstanding protection on the auto-transmission gears.



TORENZOI ULTRA ATF TREATMENT

TORENZOI ULTRA ATF TREATMENT - BIO OIL TENCHNOLOGY is formulated with the refined synsthetic base oil, BIO Degradable Oil, reinforced with special additives, metal treatment & oil seal conditioner. It is designed to PREVENT slipping, leaks and wear to provide smooth, quiet operation while conditioning seals to extend the life of the transmission. It helps in treatment & revitalizing the auto transmission.

RADIATOR COOLANT



TORENZOI RADIATOR COOLANT 97% (ANTI FREEZE)

TORENZOI RADIATOR COOLANT is a mix of anti-freeze, anti-rust, corrosion inhibitor, anti-scaling, anti-cavitations & water. It is designed to protect your vehicle radiator and cooling system all year round. Most of all, it helps to avoid engine overheating. It has additives that are intended to protect your cooling system by preventing corrosion, rust, cavitations, scaling as well as providing lubrication and increasing cooling efficiency.

COMMERCIAL & INDUSTRY DIESEL ENGINE OIL



AVAILABLE
IN 209/18 LITRE

TORENZOIL Commercial & Industry DIESEL ENGINE OIL

API Classifications :
CF-4, CG-4, CH-4, CI-4, CJ-4 & CK4

TORENZOIL HEAVY DUTY DIESEL ENGINE OIL is a fuel saving MID SAPS super high performance universal oil based on synthetic technology designed for high loaded diesel engines in light- and heavy commercial vehicles working under severe operating conditions through the whole year for use in Euro-4, Euro-5 and Euro-6 engines equipped with a Diesel Particulate Filter (DPF) and suited for diesel engines equipped with EGR and/or SCR after treatment system.



SPECIFICATIONS

- | | |
|-------------------------------|-------------------------------|
| • DIESEL HEAVY DUTY SAE 40 | • DIESEL HEAVY DUTY SAE 10W40 |
| • DIESEL HEAVY DUTY SAE 20W40 | • DIESEL HEAVY DUTY SAE 10W30 |
| • DIESEL HEAVY DUTY SAE 20W50 | • DIESEL HEAVY DUTY SAE 5W40 |
| • DIESEL HEAVY DUTY SAE 15W40 | |

COMMERCIAL & INDUSTRY GEAR OIL

TORENZOIL Commercial & Industry GEAR OIL

- Good Extreme Pressure and anti-wear properties.
- High thermal- and oxidation stability.
- Effective rust, wear and corrosion protection.
- Better low temperature provides easy start-up at low ambient temperatures.
- Good anti-foam properties ensure film strength for effective lubrication.
- Excellent seal compatibility.

SPECIFICATIONS

- | | |
|---------------------|----------------------|
| • GEAR OIL EP 80W90 | • GEAR OIL EP 75W140 |
| • GEAR OIL EP 85W90 | • GEAR OIL EP 80W140 |
| • GEAR OIL EP 90 | • GEAR OIL EP 140 |
| • GEAR OIL EP 75W90 | • GEAR OIL EP 220 |



TORENZOIL Commercial & Industry
Gear Oil Categories

- EP 90 • EP 140 • EP 150



AVAILABLE
IN 209/18 LITRE

HEAVY DUTY INDUSTRY GREASE



**HEAVY DUTY GREASE
15KG**

TORENZOIL HEAVY DUTY GREASE

TORENZOIL HEAVY DUTY GREASE IS High Temperature Grease is a high performance, versatile, long life EP grease. It is based on high viscosity index mineral oil and a Lithium Complex thickener and contains latest additive technology to offer high temperature oxidation performance, anti-wear and anti-corrosion properties. It provides reliable and consistent performance in applications of :high loaded equipment bearings running in medium to high speed high temperatures wet or dusty environment.

TORENZOIL LITHIUM COMPLEX BEARING GREASE EP2

TORENZOIL LITHIUM COMPLEX BEARING GREASE EP2 is a Multipurpose High Performance & High Temperature Grease. it has Extreme Pressure properties to protect metal components from wear. It is aversatile, long life EP grease. It is based on high viscosity index mineral oil and a Lithium Complex thickener and contains latest additive technology to offer high temperature oxidation performance, anti-wear and anti-corrosion properties.

SPECIFICATIONS Thickener Lithium Complex

NLGI	: 2	Base Oil Viscosity	: 169 Cst@40 °C	Extreme Pressure	: Excellent
Dropping Point	: 290 °C		152 Cst@100 °C	Water Resistance	: Excellent
Operating Temperature	: -20 °C — 220 °C	Colour	: Dark Blue	Relative Service Life	: Excellent



**LITHIUM COMPLEX
GREASE EP2
15KG**



**LITHIUM COMPLEX
GREASE EP2
1KG**

HEAVY DUTY INDUSTRY HYDRAULIC OILS

TORENZOIL Heavy Duty Industry Oil SUPER HYDRAULIC ANTI-WEAR AWS

TORENZOIL Hydraulic AWS offer state of the art formulations that produce a line of universal anti-wear long life hydraulic oils having all the wear preventive characteristics required for the most severe of applications, including high pressure vane pumps. It is formulated with ashless and zinc free additive package that make it suitable for pump containing steel-on-bronze lubrication surfaces and silver plate.



SPECIFICATIONS

• HYDRAULIC 10W CF	• HYDRAULIC VG46 AW	• HYDRAULIC VG100 AW
• HYDRAULIC 10W CA	• HYDRAULIC VG46 AWS	• HYDRAULIC VG100 AWS
• HYDRAULIC VG32 AW	• HYDRAULIC VG68 AW	
• HYDRAULIC VG32 AWS	• HYDRAULIC VG68 AWS	



**AVAILABLE
IN 209/18 LITRE**



www.torenzoil.com.my

TORENZ OIL SDN. BHD.

202101037067 (14373767-K)

PAHANG OFFICE ADDRESS

No. 33, Jalan IM 3/5, Kawasan Industri Mahkota, 25200 Kuantan, Pahang

KUALA LUMPUR OFFICE ADDRESS

No.5, Jalan 51/203A, Kawasan Perindustrian Tiong Nam, Seksyen 51, 46050 Petaling Jaya.

TEL: 016 939 9155 / 019 785 9155 EMAIL: torenzoi188@gmail.com